

[Battery production]

[Production halls]

[Chemical industry]

[Pharmaceutical industry]

[Foodstuffs production]

[Hazardous materials storage]

[Gas powered systems]

[Varnishing systems]

Explosion-proof products

certified according to
ATEX Directive
2014/34/EU

[and many more]





ATEX Product Directive 2014/34 EU


The ATEX product directive of the European Parliament for devices and protection systems for designated use in areas subject to explosion hazards has established the rules for the marketing of products used in areas subject to explosion hazards. The purpose of the directive is to protect people from explosion hazards.

SCHAKO offers an extensive supply programme of ATEX-certified products. A type examination of all products mentioned has been carried out by a notified body.

[Planning and legal certainty for planners and owners]

The ATEX marking code

Devices and protection systems for designated use in areas subject to explosion hazards-Directive 2014/34/EU





Product group fire dampers

BKA-EN


BSK-RPR

Marked according **BKP-EN**

to ATFX:

(Ex) II 2G Ex h IIC T6 Gb

(Ex) II 2D Ex h IIIC T80° Db



available models:

manually operated with mechanical fusible link release

manually operated with mechanical fusible link release and ATEX limit switch

electric explosion-protected spring return actuators

Product group flexible connection spigots

FS-Ex-RS

Marked according FS-Ex-RF

to ATEX:

FS-Ex

<mark>€x</mark>> || 2D T80°C

Product group mineral wool silencers

MWK-OB

MWS-OB

Marked according to ATEX:

MBK-MB

MBS-MB

(Ex) II 2G Ex h IIB T6 Gb

(Ex) | I 2D Ex h | IIIC T80°C Db

Product group duct silencers

RS-N

Marked according

RS-M

to ATEX:

(Ex) II 2G Ex h IIB T6 Gb

(Ex) II 2D Ex h IIIC T80°C Db





Product group ceiling diffusers

4DF

DQJ Marked according

to ATEX:

(Ex) II 2G Ex h IIC T6 Gb

(Ex) II 2D Ex h IIIC T80°C Db

PIL

IB-R

IKA

available model:

- without motor adjustment
- with aluminium blades (DQJ)
- unvarnished, painted with RAL9010 colour or with DD coating

Product group ventilation grilles

IB-Q Marked according

to ATEX:

(Ex) II 2G Ex h IIC T6 Gb

(Ex) | 1 2D Ex h | | | | T80°C Db



Product group long range nozzles

WDAEX Marked according

to ATEX:

(Ex) II 2G Ex h IIB Gb

<mark>⟨Ex</mark>⟩ II 2D Ex h IIIC Db



Product group filter boxes

Marked according **FKF-Ex**


to ATFX:

(Ex) II 2G Ex h IIB T6 Gb

(Ex) II 2D Ex h IIIC T80°C Db

available models:

- without shut-off damper
- with manually operated shut-off damper





Product group controlled volumetric flow controllers

VREX

Marked according **VQEX**

to ATEX:

VPEX

(Ex) II 2G Ex h IIC T6 Gb

(Ex) II 2D Ex h IIIC T80° Db



with ATEX-certified controllers and actuators

Product group mechanical volumetric flow controllers

VM-PRO-R-Ex

Marked according

VM-PRO-Q-Ex

to ATEX:

(Ex) II 2G Ex h IIC T6 Gb (Ex) | 2D Ex h | | | | T80°C Db



Product group dampers

DKEX Marked according

to ATEX: **DPEX**

(Ex) II 2G Ex h IIC T6 Gb

(Ex) | 1 2D Ex h | IIIC T80° Db



available models:

- with manually operated shut-off damper
- with manually operated shut-off damper and ATEX limit switch
- with ATEX-certified actuators

Product group multi-leaf dampers

HK Marked according to ATEX:

(Ex) II 2G Ex h IIC T6 Gb

(€x) II 2D Ex h IIIC T80°C Db

available models

JK

- stainless steel gear wheels
- with manually operated shut-off damper and ATEX limit switch
- with ATFX-certified actuators





[ATEX products]

